



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

Nomor : Un.3.3/KS.01.4/298 /2013  
Lampiran : 1 bendel  
Hal : Permintaan Informasi Harga Barang

Malang, 26 Juli 2013

Yth. \_\_\_\_\_  
Di Tempat

*Assalamua'laikum wa Rahmatullah wa Barakatuh*

Sehubungan rencana realisasi pelaksanaan pekerjaan pengadaan peralatan dan mesin untuk fakultas Humaniora UIN Maulana Malik Ibrahim Malang, bersama ini kami bermaksud agar perusahaan saudara memberikan informasi tentang harga barang sesuai dengan Rencana Anggaran Biaya (RAB) yang kami lampirkan dalam surat ini/

Apabila informasi harga yang saudara berikan sesuai dan kami nilai wajar, maka kami akan memberi kesempatan perusahaan saudara untuk membuat penawaran terhadap pekerjaan tersebut.

Kami harap data barang dan harganya dapat kami terima paling lambat pada :

hari, tanggal : 1 Agustus 2013

waktu : 14.00 WIB

tempat : Fakultas Humaniora UIN Maulana Malik Ibrahim Malang

: Atau penawarannya bisa dikirim via e-mail ke : [ulp@uin-malang.ac.id](mailto:ulp@uin-malang.ac.id)

atau [ulp\\_uinmalang@kemenag.go.id](mailto:ulp_uinmalang@kemenag.go.id)

Surat tentang informasi harga barang tersebut, dityjukan:

*Kepada Yth:*

*Pejabat Pembuat Komitmen Fakultas Humaniora*

*Universitas Islam Negeri Maulana Malik Ibrahim Malang Jl. Gajayana No. 50 Malanag.*

Demikian, atas perhatian dan kehadiran bapak/ibu disampaikan terima kasih.

*Wassalamua'laikum wa Rahmatullah wa Barakatuh*

Kuasa pengguna Anggaran/Pejabat  
Pembuat Komitmen/Dekan

  
Dr. Hj. Istiadah, M.A.f  
NIP 19670313 199203 2 002



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

Lampiran :  
Surat Permintaan Informasi Harga Barang  
Nomor : Un.3.3/KS.01.4/ 298 /2013  
Tanggal : 23 Juli 2013

**Rincian Anggaran Biaya (RAB)**

Pekerjaan : **Pengadaan Camera 5D, Printer, Laptop, Scanner, LCD Projector, Camera Digital, Parabola, Meubeleir, Etalase dan Layar Proyektor.**  
Lokasi : **Fakultas Humaniora UIN Maulana Malik Ibrahim Malang**  
Tahun Anggaran : **2013**

No	Nama Barang	Spesifikasi	Volume	Harga Satuan (Rp)	Jumlah (Rp)
1.	Camera 5D	Model 5D Mark II  <b>Key Features</b> Camera Type Digital SLR Sensor Resolution 21.1 MP Screen Size 3"  <b>Optical Sensor</b> Sensor Size 24 x 36mm Sensor Type CMOS  <b>Lens System</b> Lens For SD Body Only Focus Adjustment Autofocus & Manual Focus, Automatic, Manual Auto Focus type TTL phase detection  <b>Exposure</b> Max Shutter Speed 1/8000 sec Min Shutter Speed 30 sec Exposure compensation ±3 EV range, in 1/2 or 1/3 EV steps Exposure Range EV 1-20 ( ISO 100 ) Exposure Metering Center-Weighted, Evaluative, partial (8%), spot (3.5%), spot AF area  Exposure Modes Aperture-Priority, Automatic, Bulb, E-TTL II Program Flash, Manual, Program, Shutter-Priority  Light Sensitivity ISO 100-6400, ISO 12800, ISO 25600, ISO 50, ISO auto (100-3200)  Light Sensitivity Max 25600  <b>Camera Flash</b> Flash Type None  <b>Memory / Storage</b> Supported Flash Memory CompactFlash Card Type I, CompactFlash Card Type II, CompactFlash I, CompactFlash II, Microdrive, UDMA CF  <b>Viewfinder</b> Viewfinder Type Optical, Optical (Through-the-lens) Optical Viewfinder Type Fixed eye-level pentaprism	1 unit		



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

	Viewfinder - Field Coverage	98%		
	Viewfinder Magnification	0.71x		
	Dioptric Correction Range	-3 to +1		
	<b>Dimensions</b>			
	Depth	3 in.		
	Height	4.5 in.		
	Width	6 in.		
	Weight	28.8 Oz.		
	<b>Display</b>			
	Display Type	LCD		
	Display Rotation	Built-in		
	Screen Details	LCD display - TFT active matrix - 3" - color		
	Display Size	3"		
	<b>Microphone</b>			
	Microphone Type	Microphone - built-in - electret condenser - mono		
	Microphone Operation Mode	Mono		
	<b>Connections</b>			
	Connector Types	1 x HDMI output, 1 x USB, 1 x composite video/audio output, 1 x microphone, 1 x remote control		
	Expansion Slot	1 x CompactFlash Card - type I/II		
	<b>System Requirements for PC Connection</b>			
	Operating System Supported	Apple Mac OS X 10.3 - 10.5, MS Windows 2000 SP4 or later, MS Windows Vista, MS Windows XP		
	<b>Battery</b>			
	Battery Form Factor	Manufacturer specific		
	<b>File Format</b>			
	Digital Video Format	H.264		
	Still Image Format	DCF 2.0, JPEG, RAW, RAW + JPEG, Raw Image		
	<b>Resolution</b>			
	Max Video Resolution	1920 x 1080		
	<b>Environmental Parameters</b>			
	Min Operating Temperature	0 °C		
	Max Operating Temperature	40 °C		
	<b>Other Features</b>			



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

		<p>Additional Features</p> <p>AE/FE Lock, AF Lock, Anti-Dust Technology, Audio Recording, Auto Power Save, Automatic Face Tracking, Brightness Control, DPOF Support, Depth-Of-Field Preview Button, Digital Image Rotation, Digital Noise Reduction, Direct Print, Exif Print Support, Face Detection, HDMI, Highlight Point Display, Histogram Display, Illumination Correction, Image Stabilization, Interchangeable Lenses, LCD Live View Mode, Not Interchangeable Lenses, Orientation Detection, PictBridge Support, RGB Primary Color Filter, Takes Photos While Movie Recording, USB 2.0 Compatibility, Water Resistant, Wi-Fi, With Tripod Mount</p> <p>Face Detection</p> <p>Yes</p> <p><b>Miscellaneous</b></p> <p>Shooting Programs</p> <p>Landscape, Portrait mode</p> <p>Special Effects</p> <p>Faithful, Landscape, Monochrome, Neutral, Portrait</p> <p>White Balance</p> <p>Auto, Cloudy (Preset), Daylight / Sunny (Preset), Flash (Preset), Fluorescent (Preset), Manual, Shade (Preset), Tungsten (Preset)</p> <p>Continuous Shooting Speed</p> <p>3.9 frames per second</p>			
2.	Printer	<p>Platform</p> <p>Multifunction</p> <hr/> <p>Printing Method</p> <p>InkJet</p> <hr/> <p>Printing Technology</p> <p>On-demand ink jet (piezoelectric)</p> <hr/> <p>Max. Media Sizes</p> <p>A4</p> <hr/> <p>Max. Resolution</p> <p>5760</p> <hr/> <p>Effective Print Resolution</p> <p>5760 x 1440 dpi (with Variable-Sized Droplet Technology)</p> <hr/> <p>Print Speed Black</p> <p>34 ppm</p> <hr/> <p>Print Speed Color</p> <p>15 ppm</p> <hr/> <p>PC Connectivity</p> <p>USB</p> <hr/> <p>OS Compatibility</p> <p>Windows® XP/XP Professional x64 Edition/Vista™/7 Mac OS® 10.4.11 or later</p> <hr/> <p>Compatible Media Sizes</p> <p>A4, A5, A6, B5, 10x15cm(4x6in), 13x18cm(5x7in), 9x13cm(3.5x5 in), letter(8 1/2x11in), Legal(8 1/2x14in), Half Letter(5 1/2x8 1/2in), 13x20cm(5x8in), 20x25cm(8x10in), 16:9 wide size, 100x148mm, Envelopes: #10(4 1/8x9 1/2in), DL(110x220mm), C6(114x162mm)</p> <hr/> <p>Photo Printing</p> <p>Available</p> <hr/> <p>Facsimile Function</p> <p>Type of FAX: Walk-up black-and-white and color fax capability FAX speed (data transfer rate ): Up to 33.6kbps FAX transmission speed: Approx. 3sec/page FAX resolution: Standard (200x100), Fine (200x200), Photo (200x200 with error diffusion) Fax Speed Dials (max) 60 Names &amp; Numbers</p>	3 unit	.....	.....



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

		<p>Copier Function</p> <p>COPY SPEED</p> <p>Max Black Draft Text-Memo (A4): Approx. 32 cpm (Draft)  Max Color Draft Text-Memo (A4): Approx. 9 cpm (Draft)</p> <p>Maximum Copy Resolution: 1440 x 720 dpi (with Variable-Sized Droplet Technology)  Reduction/Enlargement: 25-400%, Auto Fit Function  Maximum Copies from standalone: 99</p> <p>Scanner Function</p> <p>Scanner Type: Flatbed colour image scanner  Sensor Type: CIS  Optical Resolution: 1200 dpi  Maximum Hardware Resolution: 1200 x 2400 dpi  Maximum Scan Area: 216 x 297 mm (8.5 x 11.7 inch)  Scanner Bit Depth</p> <p>Colour: 48-bit internal, 24-bit external  Grayscale: 16-bit internal, 8-bit external  Black &amp; White: 16-bit internal, 1-bit external</p> <p>Power Consumption</p> <p>Approx. 10W (AC100-120V), 10W (AC220-240V), 11W (AC100-240V)</p> <p>AC Adapter</p> <p>AC 100-120V / 220-240V (Rated Voltage will vary depending on area)</p> <p>Dimension (WHD)</p> <p>460 x 235 x 411 mm</p> <p>Weight</p> <p>7.1kg</p> <p>Garansi</p> <p>1-year Limited Warranty by Authorized Distributor</p>			
3.	Laptop	<p>Platform</p> <p>Notebook</p> <p>Type Prosesor</p> <p>Intel Core i5 Processor</p> <p>Processor Onboard</p> <p>Intel® Core™ i5-3230M Processor (3.20 GHz, Cache 3M)</p> <p>Memori Standar</p> <p>2 GB DDR3 PC-10600</p> <p>Video Type</p> <p>AMD Radeon™ HD 7670M 2 GB</p> <p>Ukuran Layar</p> <p>14" WXGA</p> <p>Max. Resolusi Layar</p> <p>1366 x 768</p> <p>Teknologi Layar</p> <p>Clear SuperView LED</p> <p>Audio</p> <p>Integrated</p> <p>Speaker</p> <p>Integrated</p> <p><i>Stereo speakers enhanced by SRS® Premium Sound HD</i></p>	3 unit	.....	.....



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

		<table border="1"> <tr> <td>Hard Drive Type</td> <td>640 GB Serial ATA with shock absorbers</td> </tr> <tr> <td>Optical Drive Type</td> <td>DVD±RW</td> </tr> <tr> <td>Networking</td> <td>Gigabit Ethernet</td> </tr> <tr> <td>Kecepatan Jaringan</td> <td>10 / 100 / 1000 Mbps</td> </tr> <tr> <td>Wireless Network Type</td> <td>Integrated</td> </tr> <tr> <td>Wireless Network Protocol</td> <td>IEEE 802.11b, IEEE 802.11g, IEEE 802.11n</td> </tr> <tr> <td>Wireless Bluetooth</td> <td>Integrated <i>Bluetooth V4.0</i></td> </tr> <tr> <td>Keyboard</td> <td>Standard Keyboard</td> </tr> <tr> <td>Ragam Input Device</td> <td>Touch Pad</td> </tr> <tr> <td>Card Reader Provided</td> <td>2 -in-1 card reader ( SD/ MMC)</td> </tr> <tr> <td>Antarmuka / Interface</td> <td>2x USB 3.0, 1x USB 2.0, VGA, HDMI, LAN, Audio</td> </tr> <tr> <td>Sistem Operasi</td> <td>Pre-sales Request Available</td> </tr> <tr> <td>Baterai</td> <td>Rechargeable Lithium-ion Battery <i>6-Cell Battery</i></td> </tr> <tr> <td>Daya / Power</td> <td>External AC Adapter</td> </tr> <tr> <td>Berat</td> <td>2.12 kg</td> </tr> <tr> <td>Garansi</td> <td>Garansi Terbatas Distributor Resmi 1 Tahun</td> </tr> </table>	Hard Drive Type	640 GB Serial ATA with shock absorbers	Optical Drive Type	DVD±RW	Networking	Gigabit Ethernet	Kecepatan Jaringan	10 / 100 / 1000 Mbps	Wireless Network Type	Integrated	Wireless Network Protocol	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Wireless Bluetooth	Integrated <i>Bluetooth V4.0</i>	Keyboard	Standard Keyboard	Ragam Input Device	Touch Pad	Card Reader Provided	2 -in-1 card reader ( SD/ MMC)	Antarmuka / Interface	2x USB 3.0, 1x USB 2.0, VGA, HDMI, LAN, Audio	Sistem Operasi	Pre-sales Request Available	Baterai	Rechargeable Lithium-ion Battery <i>6-Cell Battery</i>	Daya / Power	External AC Adapter	Berat	2.12 kg	Garansi	Garansi Terbatas Distributor Resmi 1 Tahun			
Hard Drive Type	640 GB Serial ATA with shock absorbers																																				
Optical Drive Type	DVD±RW																																				
Networking	Gigabit Ethernet																																				
Kecepatan Jaringan	10 / 100 / 1000 Mbps																																				
Wireless Network Type	Integrated																																				
Wireless Network Protocol	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n																																				
Wireless Bluetooth	Integrated <i>Bluetooth V4.0</i>																																				
Keyboard	Standard Keyboard																																				
Ragam Input Device	Touch Pad																																				
Card Reader Provided	2 -in-1 card reader ( SD/ MMC)																																				
Antarmuka / Interface	2x USB 3.0, 1x USB 2.0, VGA, HDMI, LAN, Audio																																				
Sistem Operasi	Pre-sales Request Available																																				
Baterai	Rechargeable Lithium-ion Battery <i>6-Cell Battery</i>																																				
Daya / Power	External AC Adapter																																				
Berat	2.12 kg																																				
Garansi	Garansi Terbatas Distributor Resmi 1 Tahun																																				
4.	Scanner	<table border="1"> <tr> <td>Tipe</td> <td>: Flatbed</td> </tr> <tr> <td>Teknologi</td> <td>: Charge Coupled Device (CCD)</td> </tr> <tr> <td>Resolusi</td> <td>: Up to 1200 dpi</td> </tr> <tr> <td>Kecepatan</td> <td>: 10 x 15 cm colour photo to file: about 21 sec, OCR A4 text page to Microsoft® Word® : about 47 sec 10 x 15 cm colour photo to share/e-mail : about 34 sec, PDF to email about 76 sec Preview Speed : &lt;10 secs</td> </tr> <tr> <td>Bit Depth</td> <td>: 48-bit</td> </tr> <tr> <td>Ukuran Dokumen</td> <td>: Maximum : 21.6 x 29.7 cm</td> </tr> <tr> <td>Antarmuka / Interface</td> <td>: USB - compatible with USB 2.0 specifications Windows Vista™; Windows® XP Home, Windows® XP Professional, Windows® XP Professional x64, Windows® XP Media Center; Windows® 2000 Mac OS X, Mac OS X v10.3.9, 10.4 or higher</td> </tr> <tr> <td>Persyaratan Sistem</td> <td>: for Windows :  Microsoft® Windows® XP, XP x64, 2000 : 500 MHz processor, 256 MB RAM, 450 MB available hard disk space, USB port, CD-ROM drive, 800 x 600 SVGA monitor, 16-</td> </tr> </table>	Tipe	: Flatbed	Teknologi	: Charge Coupled Device (CCD)	Resolusi	: Up to 1200 dpi	Kecepatan	: 10 x 15 cm colour photo to file: about 21 sec, OCR A4 text page to Microsoft® Word® : about 47 sec 10 x 15 cm colour photo to share/e-mail : about 34 sec, PDF to email about 76 sec Preview Speed : <10 secs	Bit Depth	: 48-bit	Ukuran Dokumen	: Maximum : 21.6 x 29.7 cm	Antarmuka / Interface	: USB - compatible with USB 2.0 specifications Windows Vista™; Windows® XP Home, Windows® XP Professional, Windows® XP Professional x64, Windows® XP Media Center; Windows® 2000 Mac OS X, Mac OS X v10.3.9, 10.4 or higher	Persyaratan Sistem	: for Windows :  Microsoft® Windows® XP, XP x64, 2000 : 500 MHz processor, 256 MB RAM, 450 MB available hard disk space, USB port, CD-ROM drive, 800 x 600 SVGA monitor, 16-	2 unit	.....	.....																
Tipe	: Flatbed																																				
Teknologi	: Charge Coupled Device (CCD)																																				
Resolusi	: Up to 1200 dpi																																				
Kecepatan	: 10 x 15 cm colour photo to file: about 21 sec, OCR A4 text page to Microsoft® Word® : about 47 sec 10 x 15 cm colour photo to share/e-mail : about 34 sec, PDF to email about 76 sec Preview Speed : <10 secs																																				
Bit Depth	: 48-bit																																				
Ukuran Dokumen	: Maximum : 21.6 x 29.7 cm																																				
Antarmuka / Interface	: USB - compatible with USB 2.0 specifications Windows Vista™; Windows® XP Home, Windows® XP Professional, Windows® XP Professional x64, Windows® XP Media Center; Windows® 2000 Mac OS X, Mac OS X v10.3.9, 10.4 or higher																																				
Persyaratan Sistem	: for Windows :  Microsoft® Windows® XP, XP x64, 2000 : 500 MHz processor, 256 MB RAM, 450 MB available hard disk space, USB port, CD-ROM drive, 800 x 600 SVGA monitor, 16-																																				



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

		<p>bit colour, Microsoft® Windows® Internet Explorer 6; Windows Vista™, Vista x64: 800 MHz processor, 512 MB RAM, 450 MB available hard disk space, CD-ROM drive, 800 x 600 SVGA monitor, DirectX 9 capable graphics, Microsoft® Internet Explorer 7</p> <p>for MAC :</p> <p>Mac OS X v10.3.9, 10.4; PowerPC G3, G4 and G5 processor, Intel® Core processor; 128 MB RAM (256 MB recommended and required for Mac OS X v10.4); 250 MB available hard disk space; built-in USB</p>			
		<p>Sistem Operasi : Certified for Windows Vista™; Windows® XP Home, Windows® XP Professional, Windows® XP Professional x64, Windows® XP Media Center; Windows® 2000; Mac OS X, Mac OS X v10.3.9, 10.4 or higher</p> <p>Daya / Power : Universal AC adapter 100 to 240 VAC (50/60 Hz) input, 12 VDC, 1.25 amp output</p> <p>Konsumsi Daya : 17 watts maximum</p> <p>Dimensi : 458 x 275 x 615 mm (WxDxH)</p> <p>Berat : 2.2 kg</p>			
5.	LCD Projector	<p>Projection System : 3LCD Technology</p> <p>Native Resolution : WXGA (1280 x 800)</p> <p>Brightness : 2600 Lumens ANSI</p> <p>Contrast Ratio : 2,000:1</p> <p>Aspect Ratio : 16:10</p> <p>Projection Lens : F Number : 1.58 - 1.7 Focal Length : 13.52mm - 16.22mm</p> <p>Zoom Ratio : 1-1.2 (Optical Zoom)</p> <p>Lamp Type : 205 W UHE (E-TORL)</p> <p>Input Connectivity : Video :</p> <p>1 x RCA (Yellow)</p> <p>2 x Component (via D-sub 15-pin)</p> <p>Computer : 1 x D-sub 15-Pin (RGB), 1 x USB 2.0 type B</p> <p>USB Memory Device : USB Type A Ver.2.0</p> <p>Three-In-One USB Display :</p> <p>1 x USB 2.0 type B</p>	3 unit	.....	.....



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

		Digital : 1 x HDMI Audio : 1 x Stereo mini jack Control : 1 x USB 2.0 type B			
		Speaker : 1W Power Consumption : Lamp on : Normal/Eco : 278/203W Standby : 0.44W (communication off)			
		Dimension : 292 x 44 x 210 mm (WxHxD) Weight : 1.7 kg			
6.	Camera digital	Model : Professional compact digital Resolusi Sensor : 16.0 Megapixels Ukuran Sensor : 1/2.3" CCD Efektif Pixel : 16.0 Megapixels Max. Resolusi Gambar : 4608 x 3456 File Format : JPEG Lensa : Canon Zoom Lens Panjang Fokal : 24 - 720 mm Lens Aperture : f/3.4-5.8 Optical Zoom : 30x Optical Zoom Digital Zoom : 4x Digital Zoom Ragam Auto Fokus : Contrast Detect, Multi-area, Center, Tracking, Single, Face Detection, Live View, Manual Jarak Fokus Normal : 0 in (0cm) - infinity (W), 4.6 ft. (1.4m) - infinity (T) Jarak Fokus Makro : 0 in - 1.6 ft. (0-50cm) (W) Shutter Speed : 15-1/1600 sec Continuous Shutter Drive : 0.8 fps Image Stabilization : Optical ISO Sensitivity : Auto, 80 - 1,600 Exposure Control : AUTO, Program, Aperture Priority, Shutter Priority, Manual, Scene Exposure Metering : Evaluative, Centre-weighted average, Spot Exposure Compensation : +/- 2EV in 1/ 3EV steps White Balance : Auto, Day Light, Cloudy, Tungsten, Fluorescent, Fluorescent H, Custom Digital Scene : Portrait, Face Self-timer, Low Light, Snow, Fireworks, Fish-eye Effect, Miniature Effect, Toy Camera Effect, Monochrome, Super Vivid, Poster Effect Movie Clips : HD 1280 x 720 25fps Ukuran Layar : 3.0 inch	1 unit	.....	.....



Certificate No. ID08/1219









**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

3.	Lemari buku	<p><b>Bahan</b> : Kayu steam          Multyplek          Cat melamine'</p> <p><b>Model</b> : 3 pintu</p> <p><b>Tinggi</b> : 210 cm</p> <p><b>Lebar</b> : 150 cm</p> <p><b>Tebal</b> : 40 cm</p> <div style="text-align: center;">  </div>	2 unit	.....	.....
9.	Etalase	<p><b>Bahan</b> Alumunium</p> <p>Kaca 5 mm</p> <p><b>Tinggi</b> 210 cm</p> <p><b>lebar</b> 250 cm</p> <p><b>Tebal</b> 50 cm</p> <div style="text-align: center;">  </div>	3 unit	.....	.....



Certificate No. ID08/1219



**KEMENTERIAN AGAMA**  
**UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG**  
**FAKULTAS HUMANIORA**

Jalan Gajayana 50, Malang 65144 Telepon (0341) 570872, Faks (0341) 570872

10.	Layar Proyektor	Screen Type: Manual Application: Auditorium Format: Video [4:3] Usually Ships Within: 3-5 Business Days Diagonal Size (in.): 175 Viewable Height (in.): 105 Viewable Width (in.): 140 Mount Type: Ceiling Front/Rear Projection: Front Gain: 2.4 Warranty: 1 Year Screen Surface: High Power Ceiling Recessed?: Ceiling Recessed CSR: Controlled Screen Return Product Line: Advantage Manual w/CSR	4 unit	.....	.....
-----	-----------------	---	--------	-------	-------

Kuasa pengguna Anggaran/Pejabat  
 Pembuat Komitmen/Dekan



Dr. Hj. Istiadah, M.A.  
 NIP 19670313 199203 2 002



Certificate No. ID08/1219